



MATERIAL SAFETY DATA SHEET

This MSDS complies with EC Directive (March '91) implementing Article 10 of Directive 88/379/EEC

MSDS

Date 8/18/2009

Manufacturer/Supplier Details

Jayne Products Inc.
17904 South Star of India Lane
Carson, Ca 90746 ~ USA
Emergency Phone: 310-715-3070

SECTION 1. MATERIAL IDENTIFICATION

Product Name: JPX

Product Use: Water Based Liquid Degreaser

SECTION 2. COMPOSITION

<u>Ingredients</u>	<u>CAS</u>	<u>TLV</u>
Propylene Glycol n-propyl ether	1569-01-3	None established
Terpenes	5989-27-5	None established
Proprietary Blend of surfactants		None established
Waters and inerts		None established

Does not contain phosphates or silicates
All ingredients are listed under TSCA

SECTION 3. FIRST AID MEASURES

Route of Entry

Inhalation: If symptoms of overexposure are experienced, evacuate to fresh air. If symptoms persist, seek medical attention.

Eye Contact: Flush with water. If irritation persists, call a physician.

Ingestion: See a physician.

Skin Contact: Wash skin with water after contact.

SECTION 4. FIRE AND EXPLOSION DATA

Flammability: Nonflammable- IATA tested 3.3.5. No flash at 140.9° F and intermittent flash at 165.0° F. No ignition or sustained combustion. Will not sustain combustion in accordance with IATA 3.3.5 testing for combustibility for class #3 substances.

Extinguishing Data: Use water fog spray to cool and lower the pressure of fire exposed containers, to flush vapors away, and to flush/dilute spilled material.

Special procedure: If water must be used, use as a spray only. High pressure water directed at spill may cause foaming

Flashpoint: No flash at 140.9° F and intermittent flash at 165.0° F.

Unusual fire & explosion hazards: Store away from excessive heat and flame.

SECTION 5. ACCIDENTAL RELEASE MEASURES

Steps to be taken if material spills or released: Soak up with absorbent material.
Caution: slippery on floors.



SECTION 6. HANDLING AND STORAGE

Precautions to be taken in handling and storage: Keep closures on containers when not in use. Product may expand slightly in storage causing pressure to build up in container. Open container carefully if product appears to be under pressure. Utilize PVC bottles for spray applications.

SECTION 7. EXPOSURE CONTROL/PERSONAL PROTECTION

Respiratory protection: No respiratory equipment required. However, if vapor concentration becomes high or objectionable in a confined space, use self-contained air mask.

Ventilation: Use adequate ventilation.

Protective clothing: Wear clothing to minimize skin contact.

Protective gloves: Impervious gloves.

Eye protection: Chemical safety goggles.

SECTION 8. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Appearance and odor: Blue/dark green with mild, citrus odor

Vapour pressure: Composite partial pressure .098 mm Hg at 20 degree C.

Evaporation rate: 1 (water =1)

Boiling point: 180°F

Freezing point: 32 Degrees F.

% Volatile by wt: 84

VOC Content: 368 grams per liter

Solubility in water: 100% soluble

pH: 10.0 ± .5

Specific gravity: .953 at 20 Degree C.

Density (gram/cc): .0953

Coeff. Water/oil dist: 1

SECTION 9. STABILITY & REACTIVITY

Chemical stability: Stable

If not, under which conditions:

Incompatibility: Strong alkalis, rubber.

Reactivity and under what conditions: Non reactive

Hazardous decomposition products: CO, CO₂, acrid fumes

SECTION 10. TOXICOLOGICAL INFORMATION

Local Effects

Skin contact: Irritating to skin upon repeated or prolonged contact.

Eye contact: Irritating on contact.

Inhalation: Inhalation of vapor or mist may cause irritation.

Ingestion: Amounts swallowed incidental to normal handling are not likely to cause injury.

Sensitization: None known.

Chronic effects: None known



SECTION 11. TOXICOLOGICAL INFORMATION (Continued)

Specific Effects

Carcinogenicity: None known

Reproductive effects: None known

Teratogenicity: None known

Mutagenicity: None known

Exposure limit of material: Calculated LD 50: 4294 mg/kg (oral rat)

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: This material is highly soluble in water. This material has exhibited low toxicity in laboratory testing with rats.

Environmental fate: This material will biodegrade relatively rapidly in both soil and water, and will not persist in the environment. Due care should be taken to avoid accidental releases to aquatic or terrestrial systems.

Bioaccumulation: Testing shows that the material is hydrophilic and will preferentially partition to water rather than soil or atmosphere. The material facilitates the separation of dissolved oil from water. The bulk of the material is carried in the oil phase where it is removed as a skim layer by separator system. Calcium chloride can be added to speed the oil water separation process. The material has been utilized in over one hundred equipment turnarounds by several different petroleum refining companies without adverse effects on bio-treatment systems or other effluent concerns. On the basis of all available information, this material/preparation is not expected to produce any significant detrimental environmental effects, when used as directed.

Tests conducted with 5% solutions of JPX:

96-Hour Acute Aquatic Toxicity Bioassay w/Rainbow trout (LC50-Fish toxicity test): 306.0 ppm

COD 41000 mg O₂/L ; BOD 11000 mg/L aerated 24 hours

COD 61000 mg O₂/L ; BOD 11000 mg/L non-aerated

TKN via method SM4500-N-O,C: 150 mg/L (ppm) with RL of 0.50 analyzed 10/2/98.

TOC via method 415.1:7, 400 mg/L (ppm) with RL of 500 analyzed 10/3/98.

TKN = Total Kjeldahl Nitrogen

TOC = Total Organic Carbon

RL = Reporting Limit

SECTION 13. DISPOSAL CONSIDERATIONS

As per local regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated for road transport.



SECTION 15. REGULATORY INFORMATION

USA REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65 (SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels, which would require a warning under the statute.

SECTION 16. OTHER INFORMATION

Prepared by: Eric Andersen

Date: 8/18/2009

Telephone Number: 310-715-3070

The information contained herein is based on the data available to us. It is believed to be correct. Jayne Products Inc. makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Jayne Products Inc. assumes no responsibility to personal injury or property damage to vendees, users or third parties from the use of the products described herein. Such vendees or users assume all risks associated with the use or the product.